

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listing, of claims in the application.

1. (Canceled)
2. (Canceled)
3. (Canceled)
4. (Canceled)
5. (Canceled)
6. (Canceled)

7. (Currently Amended) A chair apparatus ~~in accordance with Claim 6 further~~ comprising:

a frame having a plurality of frame members, the frame members being moveable between a first position for storage and a second position for use;

a backrest supported by the frame; and

a seat supported by the frame and moveable relative to the frame members, the seat comprising a seat support and a first resilient seating layer, the seat support defining an opening and at least a portion of the first resilient seating layer extending over the opening so that the first resilient seating layer is capable of extending below the seat support.

the chair apparatus further including a cover extending over at least a portion of the first resilient seating layer, and including a second resilient seating layer extending over at least a portion of the first resilient seating layer, wherein the first resilient seating layer forms a sleeve receiving at least a portion of the seat support and the [[s]]second resilient seating layer forming forms a sleeve receiving at least a portion of the first resilient seating layer and at least a portion of the seat support.

8. (Original) A chair apparatus in accordance with Claim 7 further comprising a cover forming a sleeve receiving at least a portion of the first and second resilient seating layers and at least a portion of the seat support.

9. (Canceled)

10. (Canceled)

11. (Canceled)

12. (Original) A chair apparatus in accordance with Claim 8 wherein the seat further comprises a bottom cover extending over at least a portion of the opening of the seat support.

13. (Original) A chair apparatus in accordance with Claim 12 wherein the bottom cover defines at least one aperture for air to pass through.

14. (Canceled)

15. (Canceled)

16. (Canceled)

17. (Currently Amended) A chair apparatus ~~in accordance with Claim 6~~ further comprising:

a frame having a plurality of frame members, the frame members being moveable between a first position for storage and a second position for use;

a backrest supported by the frame;

a seat supported by the frame and moveable relative to the frame members, the seat comprising a seat support and a first resilient seating layer, the seat support defining an opening and at least a portion of the first resilient seating layer

Application No. 10/625,370
Amendment dated June 28, 2005
Reply to Final Office Action of March 4, 2005

extending over the opening so that the first resilient seating layer is capable of extending below the seat support;

the chair apparatus further including a cover extending over at least a portion of the first resilient seating layer, and including a second resilient seating layer extending over at least a portion of the first resilient seating layer; and, wherein the frame members include:

a first set of legs; [[and]]

a second set of legs pivotally connected to the first set of legs, the first and second sets of legs being moveable between the first position for use and second position for storage; and

wherein the backrest extends between the legs of the second set of legs; and the seat is supported by the first and second sets of legs.

18. (Original) A chair apparatus in accordance with Claim 17 wherein the seat provides a predetermined seating area and the backrest provides a predetermined backrest area, the predetermined backrest area being equal to or larger than the predetermined seating area.

19. (Original) A chair apparatus in accordance with Claim 18 further comprising a first cover at the legs of the second set of legs and a second cover at the legs of the first set of legs.

20. (Canceled)

21. (Canceled)

22. (Canceled)

23. (Canceled)

24. (Canceled)

25. (Canceled)

26. (Canceled)

27. (Canceled)

28. (Canceled)

29. (Previously Presented) A chair apparatus comprising:
a frame having a plurality of frame members, the frame members being moveable between a first position for storage and a second position for use;
a seat supported by the frame; and
a backrest supported by the frame and having a backrest support at least partially enclosing at least a portion of the frame, wherein the backrest support comprises at least two shell members that combine to at least partially enclose at least a portion of the frame that supports the backrest,
the backrest further comprises a layer of resilient material over at least a portion of one of the two shell members, and a cover over at least a portion of the layer of resilient material and at least a portion of one of the two shell members,
wherein the resilient material forms a sleeve that receives at least a portion of the at least two shell members, the cover forms a sleeve that receives at least a portion of the at least two shell members and at least of portion of the layer of resilient material, and
wherein the layer of resilient material defines a pocket and the cover extends into the pocket to cover the resilient material defining the pocket.